



TJA1102A/TJA1102AS, Dual/Single Port Automotive Ethernet 100BASE-T1 PHY Transceiver


TJA1102A

Last Updated: Apr 4, 2024

TJA1102A is the revision of the successful TJA1102. The high performance, dual- or single-port automotive Ethernet PHY is compliant to IEEE 100BASE-T1. The device is passing all state of the art conformance test specs, including OPEN Alliance EMC Spec 2.0.

- The TJA1102A is optimized for board space. This PHY is often combined with NXP's SJA1105P/Q/R/S to build a highly efficient small port count Ethernet switch solution
- Being designed and fully qualified for automotive applications, the TJA1102A offers 100Mbps transmit and receive capability per port and up to at least 15m of unshielded twisted pair (UTP) cable
- The highly integrated device is robust by design, saving external filter and ESD protection components in the MDI path
- Future proof by enabling fully OPEN Alliance TC-10 compliant sleep and wake-up forwarding over the data line, it saves wire cost and weight by replacing dedicated wake-up lines
- Drop-in compatible single port variant TJA1102AHN/S

TJA1102A/SJA1105 Block Diagram



View additional information for [TJA1102A/TJA1102AS, Dual/Single Port Automotive Ethernet 100BASE-T1 PHY Transceiver](#).

Note: The information on this document is subject to change without notice.

www.nxp.com

NXP and the NXP logo are trademarks of NXP B.V. All other product or service names are the property of their respective owners. The related technology may be protected by any or all of patents, copyrights, designs and trade secrets. All rights reserved. © 2024 NXP B.V.