

Emerson Network Power Embedded Computing Freescale Alliance Partner



Emerson Network Power is a leading provider of communications technology for wireless, switching, signaling, optical networking and other telecom infrastructure applications. Emerson Network Power's WAN interfaces, CPU boards, network protocols and hardware/software subsystems, utilizing PMC, CompactPCI, AdvancedTCA® (ATCA) and custom platforms, are used in a variety of Teledatcom™ systems, including SS7 signaling systems, signaling gateways, softswitches, wireless base station controllers and DSLAMs.

Emerson Network Power Embedded Computing also is a world leader in designing and manufacturing power conversion solutions for industry-leading OEMs in communications and IT infrastructure markets.

The Power Conversion Division has a broad portfolio of power products that offers complete system solutions, ranging from custom AC/DC and DC/DC front-ends and energy systems to standard board-mounted isolated DC/DC modules, as well as non-isolated point-of-load converters.

Emerson Network Power, formerly Artesyn Communication Products, is a business unit of Emerson Electric Co., which is a public company whose common stock is traded on the New York Stock Exchange.

Emerson Network Power Embedded Computing AdvancedTCA® and AdvancedMC™ products based on processors from Freescale Semiconductor

Emerson Network Power Product	Freescale Processor	Function	Application	Form Factor	PICMG Compliance	BSP/Driver
<p>Katana®QP</p> 	<p>Single or dual MPC7448 host processor, built on Power Architecture™ technology, running at up to 1.4 GHz</p>	<p>Processing blade</p>	<p>WAN access, SS7/SIGTRAN signaling, media gateways, traffic processing, wireless base station controllers</p>	<p>ATCA®</p>	<p>PICMG 3.1 PTMC PICMG 2.15 PrPMC</p>	<p>Carrier grade Linux® OS Wind River VxWorks®</p>
<p>KAT4000</p> 	<p>MPC8548E PowerQUICC® III processor at 1.0 GHz</p>	<p>ATCA carrier</p>	<p>Control and packet processing, signaling gateways, media gateways</p>	<p>ATCA</p>	<p>PICMG 3.1 AMC.2</p>	<p>Carrier grade Linux OS Wind River VxWorks</p>



Katana®QP

Processing blade

- Single or dual Freescale MPC7448 host processor, built on Power Architecture™ technology, at up to 1.4 GHz
- Up to 2 GB DDR SDRAM w/ECC in SO-DIMM package
- Up to 64 MB linear flash memory
- Two-way SMP architecture
- ATCA PICMG 3.1 Node (1000Base-T interface + octal high speed Gigabit Ethernet fabric interface)
- Layer 2/3 Ethernet switch option
- Quad PMC expansion sites
- Redundant system management bus with IPM controller
- Real-time clock with supercap backup
- Wind River VxWorks® and carrier grade Linux® OS



KAT4000

AdvancedTCA carrier

- Freescale MPC8548E PowerQUICC® III processor at 1.0 GHz (optional)
- AMC carrier with up to four AMC modules
- Up to 2 GB DDR2 SDRAM (optional)
- Up to 1 GB flash memory (optional)
- Ethernet and PCI Express® switches for the AMC common options region
- Flexible modular fat pipe switch module
 - Gigabit Ethernet (GbE)
 - 10 GbE/1 GbE
- AMC connections:
 - Up to two GbE to Ports 0 and 1 in common options region
 - One PCI Express to Port 1 in common options region
 - Ports 4–7 to fat pipes switch
- Flexible modular fat pipe switch module (10 GbE/1 GbE)
- Carrier grade Linux OS

Learn More:

For more information about Freescale's ATCA/AMC reference designs and Freescale Alliance Partners for ATCA/AMC solutions, please visit www.freescale.com/atca.

For more information about Emerson Network Power Embedded Computing and these ATCA/AMC solutions, go to www.emersonembeddedcomputing.com.



Freescale® and the Freescale logo are trademarks of Freescale Semiconductor, Inc. All other product or service names are the property of their respective owners. The Power Architecture and Power.org word marks and the Power and Power.org logos and related marks are trademarks and service marks licensed by Power.org.
© Freescale Semiconductor, Inc. 2007

Document Number: AMCEMERSONFS
REV 1

